NAME

Pango::Language − an object that represents a language tag

HIERARCHY

```
Glib::Boxed
+----Pango::Language
```

METHODS

language = Pango::Language−>get_default

Since: pango 1.16

direction = Pango−>find_base_dir ($text)

- `$text` (string)

Since: pango 1.4

language = Pango::Language−>from_string ($language)

- `$language` (string)

boolean = `$language`−>includes_script ($script)

- `$script` (Pango::Script)

Since: pango 1.4

boolean = `$language`−>matches ($range_list)

- `$range_list` (string)

string = `$language`−>to_string

ENUMS AND FLAGS

enum Pango::Direction

- 'ltr' / 'PANGO_DIRECTION_LTR'
- 'rtl' / 'PANGO_DIRECTION_RTL'
- 'ttb−ltr' / 'PANGO_DIRECTION_TTB_LTR'
- 'ttb−rtl' / 'PANGO_DIRECTION_TTB_RTL'
- 'weak−ltr' / 'PANGO_DIRECTION_WEAK_LTR'
- 'weak−rtl' / 'PANGO_DIRECTION_WEAK_RTL'
- 'neutral' / 'PANGO_DIRECTION_NEUTRAL'

enum Pango::Script

- 'invalid−code' / 'PANGO_SCRIPT_INVALID_CODE'
- 'common' / 'PANGO_SCRIPT_COMMON'
- 'inherited' / 'PANGO_SCRIPT_INHERITED'
- 'arabic' / 'PANGO_SCRIPT_ARABIC'
- 'armenian' / 'PANGO_SCRIPT_ARMENIAN'
- 'bengali' / 'PANGO_SCRIPT_BENGALI'
- 'bopomofo' / 'PANGO_SCRIPT_BOPOMOFO'
- 'cherokee' / 'PANGO_SCRIPT_CHEROKEE'
- 'coptic' / 'PANGO_SCRIPT_COPTIC'
- 'cyrillic' / 'PANGO_SCRIPT_CYRILLIC'
- 'deseret' / 'PANGO_SCRIPT_DESERET'
- 'devanagari' / 'PANGO_SCRIPT_DEVANAGARI'
- 'ethiopic' / 'PANGO_SCRIPT_ETHIOPIC'
- 'georgian' / 'PANGO_SCRIPT_GEORGIAN'
- 'gothic' / 'PANGO_SCRIPT_GOTHIC'
- 'greek' / 'PANGO_SCRIPT_GREEK'



- 'gujarati' / 'PANGO_SCRIPT_GUJARATI'
- 'gurmukhi' / 'PANGO_SCRIPT_GURMUKHI'
- 'han' / 'PANGO_SCRIPT_HAN'
- 'hangul' / 'PANGO_SCRIPT_HANGUL'
- 'hebrew' / 'PANGO_SCRIPT_HEBREW'
- 'hiragana' / 'PANGO_SCRIPT_HIRAGANA'
- 'kannada' / 'PANGO_SCRIPT_KANNADA'
- 'katakana' / 'PANGO_SCRIPT_KATAKANA'
- 'khmer' / 'PANGO_SCRIPT_KHMER'
- 'lao' / 'PANGO_SCRIPT_LAO'
- 'latin' / 'PANGO_SCRIPT_LATIN'
- 'malayalam' / 'PANGO_SCRIPT_MALAYALAM'
- 'mongolian' / 'PANGO_SCRIPT_MONGOLIAN'
- 'myanmar' / 'PANGO_SCRIPT_MYANMAR'
- 'ogham' / 'PANGO_SCRIPT_OGHAM'
- 'old−italic' / 'PANGO_SCRIPT_OLD_ITALIC'
- 'oriya' / 'PANGO_SCRIPT_ORIYA'
- 'runic' / 'PANGO_SCRIPT_RUNIC'
- 'sinhala' / 'PANGO_SCRIPT_SINHALA'
- 'syriac' / 'PANGO_SCRIPT_SYRIAC'
- 'tamil' / 'PANGO_SCRIPT_TAMIL'
- 'telugu' / 'PANGO_SCRIPT_TELUGU'
- 'thaana' / 'PANGO_SCRIPT_THAANA'
- 'thai' / 'PANGO_SCRIPT_THAI'
- 'tibetan' / 'PANGO_SCRIPT_TIBETAN'
- 'canadian−aboriginal' / 'PANGO_SCRIPT_CANADIAN_ABORIGINAL'
- 'yi' / 'PANGO_SCRIPT_YI'
- 'tagalog' / 'PANGO_SCRIPT_TAGALOG'
- 'hanunoo' / 'PANGO_SCRIPT_HANUNOO'
- 'buhid' / 'PANGO_SCRIPT_BUHID'
- 'tagbanwa' / 'PANGO_SCRIPT_TAGBANWA'
- 'braille' / 'PANGO_SCRIPT_BRAILLE'
- 'cypriot' / 'PANGO_SCRIPT_CYPRIOT'
- 'limbu' / 'PANGO_SCRIPT_LIMBU'
- 'osmanya' / 'PANGO_SCRIPT_OSMANYA'
- 'shavian' / 'PANGO_SCRIPT_SHAVIAN'
- 'linear−b' / 'PANGO_SCRIPT_LINEAR_B'
- 'tai−le' / 'PANGO_SCRIPT_TAI_LE'
- 'ugaritic' / 'PANGO_SCRIPT_UGARITIC'
- 'new−tai−lue' / 'PANGO_SCRIPT_NEW_TAI_LUE'
- 'buginese' / 'PANGO_SCRIPT_BUGINESE'



- 'glagolitic' / 'PANGO_SCRIPT_GLAGOLITIC'
- 'tifinagh' / 'PANGO_SCRIPT_TIFINAGH'
- 'syloti−nagri' / 'PANGO_SCRIPT_SYLOTI_NAGRI'
- 'old−persian' / 'PANGO_SCRIPT_OLD_PERSIAN'
- 'kharoshthi' / 'PANGO_SCRIPT_KHAROSHTHI'
- 'unknown' / 'PANGO_SCRIPT_UNKNOWN'
- 'balinese' / 'PANGO_SCRIPT_BALINESE'
- 'cuneiform' / 'PANGO_SCRIPT_CUNEIFORM'
- 'phoenician' / 'PANGO_SCRIPT_PHOENICIAN'
- 'phags−pa' / 'PANGO_SCRIPT_PHAGS_PA'
- 'nko' / 'PANGO_SCRIPT_NKO'
- 'kayah−li' / 'PANGO_SCRIPT_KAYAH_LI'
- 'lepcha' / 'PANGO_SCRIPT_LEPCHA'
- 'rejang' / 'PANGO_SCRIPT_REJANG'
- 'sundanese' / 'PANGO_SCRIPT_SUNDANESE'
- 'saurashtra' / 'PANGO_SCRIPT_SAURASHTRA'
- 'cham' / 'PANGO_SCRIPT_CHAM'
- 'ol−chiki' / 'PANGO_SCRIPT_OL_CHIKI'
- 'vai' / 'PANGO_SCRIPT_VAI'
- 'carian' / 'PANGO_SCRIPT_CARIAN'
- 'lycian' / 'PANGO_SCRIPT_LYCIAN'
- 'lydian' / 'PANGO_SCRIPT_LYDIAN'

SEE ALSO

Pango, Glib::Boxed

COPYRIGHT

Copyright (C) 2003−2009 by the gtk2−perl team.

This software is licensed under the LGPL. See Pango for a full notice.

