

MPI\_Errhandler\_c2f(3)

LAM/MPI

MPI\_Errhandler\_c2f(3)

**NAME**

MPI\_Errhandler\_c2f – Convert an error handler from its C representation to its Fortran representation

**SYNOPSIS**

```
#include <mpi.h>
MPI_Fint
MPI_Errhandler_c2f(MPI_Errhandler err)
```

**INPUT PARAMETER**

**err**        - C error handler

**RETURN VALUE**

**f\_handle**  
      - Fortran error handler

**DESCRIPTION**

This is a non-standard MPI routine. It is mainly here because ROMIO needs it.

**NOTES FOR FORTRAN**

All MPI routines in Fortran (except for *MPI\_WTIME* and *MPI\_WTICK* ) have an additional argument *ierr* at the end of the argument list. *ierr* is an integer and has the same meaning as the return value of the routine in C. In Fortran, MPI routines are subroutines, and are invoked with the *call* statement.

All MPI objects (e.g., *MPI\_Datatype* , *MPI\_Comm* ) are of type *INTEGER* in Fortran.

**ERRORS**

This function does not return the normal *MPI\_SUCCESS* integer value upon success. Instead, it returns a handle to the converted object. If an error occurs, the appropriate NULL handle will be returned.

**SEE ALSO**

MPI\_Errhandler\_c2f(3)

**MORE INFORMATION**

For more information, please see the official MPI Forum web site, which contains the text of both the MPI-1 and MPI-2 standards. These documents contain detailed information about each MPI function (most of which is not duplicated in these man pages).

<http://www.mpi-forum.org/>

**LOCATION**

handles.c

