NAME

MooseX::Declare::Syntax::Keyword::With − Apply roles within a class− or role−body

SYNOPSIS

```
use MooseX::Declare;

class ::Baz {
    with 'Qux';
    ...
}
```

DESCRIPTION

The `with` keyword allows you to apply roles to the local class or role. It differs from the `with`−option of the `class` and `role` keywords in that it applies the roles immediately instead of defering application until the end of the class− or role-definition.

It also differs slightly from the `with` provided by Moose in that it expands relative role names (`::Foo`) according to the currenc `namespace`.

METHODS

parse

```
Object->parse(Object $context)
```

Will skip the declarator and make with `with` invocation apply the set of specified roles after possible `namespace`−expanding has been done.

CONSUMES

- MooseX::Declare::Syntax::KeywordHandling

SEE ALSO

- MooseX::Declare
- MooseX::Declare::Syntax::Keyword::Namespace

AUTHORS

- Florian Ragwitz <rafl AT debian DOT org>
- Ash Berlin <ash AT cpan DOT org>
- Chas. J. Owens IV <chas DOT owens AT gmail DOT com>
- Chris Prather <chris AT prather DOT org>
- Dave Rolsky <autarch AT urth DOT org>
- Devin Austin <dhoss AT cpan DOT org>
- Hans Dieter Pearcey <hdp AT cpan DOT org>
- Justin Hunter <justin DOT d DOT hunter AT gmail DOT com>
- Matt Kraai <kraai AT ftbfs DOT org>
- Michele Beltrame <arthas AT cpan DOT org>
- Nelo Onyiah <nelo DOT onyiah AT gmail DOT com>
- nperez <nperez AT cpan DOT org>
- Piers Cawley <pdcawley AT bofh DOT org DOT uk>
- Rafael Kitover <rkitover AT io DOT com>
- Robert ’phaylon’ Sedlacek <rs AT 474 DOT at>
- Stevan Little <stevan DOT little AT iinteractive DOT com>
- Tomas Doran <bobtfish AT bobtfish DOT net>
- Yanick Champoux <yanick AT babyl DOT dyndns DOT org>

COPYRIGHT AND LICENSE

This software is copyright (c) 2011 by Florian Ragwitz.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5



programming language system itself.

