

MooseX::Getopt::Meta::Attribute::Trait::NoGetopt(3pm) MooseX::Getopt::Meta::Attribute::Trait::NoGetopt(3pm)

NAME

MooseX::Getopt::Meta::Attribute::Trait::NoGetopt – Optional meta attribute trait for ignoring params

SYNOPSIS

```
package App;
use Moose;

with 'MooseX::Getopt';

has 'data' => (
    traits => [ 'NoGetopt' ], # do not attempt to capture this param
    is      => 'ro',
    isa     => 'Str',
    default => 'file.dat',
);
```

DESCRIPTION

This is a custom attribute metaclass trait which can be used to specify that a specific attribute should **not** be processed by `MOOSEX::Getopt`. All you need to do is specify the `NoGetopt` metaclass trait.

```
has 'foo' => (traits => [ 'NoGetopt', ... ], ... );
```

AUTHORS

- Stevan Little <stevan AT iinteractive DOT com>
- Brandon L. Black <blblack AT gmail DOT com>
- Yuval Kogman <nothingmuch AT woobling DOT org>
- Ryan D Johnson <ryan AT innerfence DOT com>
- Drew Taylor <drew AT drewtaylor DOT com>
- Tomas Doran <bobtfish AT bobtfish DOT net>
- Florian Ragwitz <rafl AT debian DOT org>
- Dagfinn Ilmari Mannsåker <ilmari AT ilmari DOT org>
- Ævar Arnfjörð Bjarmason <avar AT cpan DOT org>
- Chris Prather <perigrin AT cpan DOT org>
- Karen Etheridge <ether AT cpan DOT org>
- Jonathan Swartz <swartz AT pobox DOT com>

COPYRIGHT AND LICENSE

This software is copyright (c) 2011 by Infinity Interactive, Inc.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

